

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 2 of 16

RBR-id	key	cat	seg	type	s-v-m	s-v-st.	a-v-m	a-v-st.	CCR	text	int. text	clar	L4 id	key	rel	type	r-status	v-m	v-st	CCR	clar	text	Remarks	
TRM M408 0#A	7220	N/A-priced ural	N/A-proced ural	p r o c e d u r a l	n o t v e r i f i e d b y E C S	N/A- pro ced u r a l	n o t v e r i f i e d b y E C S	N/A- pro ced u r a l	96-0918C	TSDIS shall provide status information to the ECS systems at the GSFC DAAC about delayed products.	External only requirement: Information only. No action is required by ECS. <u>other than human interaction.</u>													
TRM M413 0#A	7227	m ission es se ntial	SD PS	p r o c e d u r a l	i n s p e c t i o n	un- ver ified	i n s p e c t i o n	un- ver ified	96-0918C	All data transferred between TSDIS and ECS systems at the GSFC DAAC, including GV shall follow ESDIS-defined standards, with specific product formats to be jointly agreed to and documented in ICDs.	<u>Formats for data transfers are defined in the current E CS/TSD IS ICD (505-41-35).</u>													
TRM M807 1#A	7891	m ission es se ntial	SD PS	i n t e r f a c e	a n a l y s i s	un- ver ified	a n a l y s i s	un- ver ified	96-1103	ECS shall support all dataflows and archival and distribution functionality for integration and test with the TRMM ground system.	<u>Covered implicitly by req. TRMM5 040#A. All dataflow</u>	S-DS-S-00010	10911	IR	in te rf ac e	app roved	d e m o	un ver ified	96-1020		The SDSRV CI shall accept Data Requests for Data that is managed within the STMGT CI.	Should delete the remarks in interpretation column Define "all dataflows". Added Link		

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 3 of 16

RBR-id	key	cat	seg	type	s-v-m	s_v-st.	a-v-m	a-v-st.	CCR	text	int. text	clar	L4 id	key	rel	type	r-status	v-m	v-st	CCR	clar	text	Remarks
											<u>s are as identified in the current TSDIS and SDPF ICDs - (505-41-35, 510-203.103.)</u>												
											S-DS S-213 65	10946	A	func ti ona l	app roved	dem o	un _ve rifi ed	96-1020			The STMGT CI shall provide storage for the Data Products listed in Appendix F of the current version of 304-CD-005.	Added Link	
											S-DS S-213 66	10948	A	func ti ona l	app roved	dem o	un _ve rifi ed	96-1020			The STMGT CI shall provide storage for the Metadata associated with the Data Products listed in Appendix F of the current version of 304-CD-005.	Added Link	
											S-DS S-044 76	10941	A	func ti ona l	app roved	test	un _ve rifi ed				The DDSRV CI shall provide the ability to store documents and/or data.	Added Link	
											S-DS S-040	109	A	inte rf ac	app roved	dem o	un ver ified	96-10			The SDSRV CI shall supply the Data Products listed in Appendix F of the	Added Link	

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 4 of 16

RBR-id	key	cat	seg	type	s-v-m	s_v-st.	a-v-m	a-v-st.	CCR	text	int. text	c lar	L4 id	k e y	rel	ty pe	r- status	v-m	v-st	C C R	cl ar	text	Remarks
													35	20		e				20		current version of 304-CD-005 to the DDIST CI.	
												S-DS S-04037	10922	A	in terface	app roved	demo	un verifie d	96-1020			The SDSRV CI shall supply the Metadata associated with the Data Products listed in Appendix F of the current version of 304-CD-005 to the DDIST CI.	Added Link
												S-DS S-30600	11023	A	func tiona l	app roved	demo	un verifie d	96-1020			The DDIST CI shall provide the capability to distribute Data electronically via ftp (push).	Added Link
												S-DS S-30520	11024	A	func tiona l	app roved	demo	un verifie d	96-1020			The DDIST CI shall provide the capability to place Data in publicly available disks for users to "pull" the data, via ftp, at their discretion.	Added Link
												S-DS S-30780	11025	A	stan da rd s	app roved	demo	un verifie d	96-1020			The DDIST CI shall make appropriate use of standards for data structures and data transport as defined for use within the publications of CCSDS and ISO/OSI for distribution of TRMM data to the TSDIS .	Added Link
												S-	A	pe	app	de	un	9			The Data Distribution	Added Link	

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 5 of 16

RBR-id	key	cat	seg	type	s-v-m	s_v-st.	a-v-m	a-v-st.	CCR	text	int. text	clar	L4 id	key	rel	type	r-status	v-m	v-st	CCR	clar	text	Remarks	
													DS-S-30800	11026		if or man ce	rov ed	m o	ver ified	6-1020			within the Data Server shall support making stored products available on physical media within 24 hours.	
TRM M808 0#A	73 14	m is si on es se nt ial	SD PS	p r o c e d u r a l	in sp ec ti on	un-ver ified	ins pec tion	un-ver ified	96-0918C	ECS shall support TRMM Mission Simulation #1.													No unique H/W or S/W required. Support is for capability as built and covered in SOW.	
TRM M808 1#A	73 15	m is si on es se nt ial	SD PS	p r o c e d u r a l	in sp ec ti on	un-ver ified	ins pec tion	un-ver ified	96-0918C	ECS shall support TRMM Mission Simulation #2.													No unique H/W or S/W required. Support is for capability as built and covered in SOW.	
TRM M816 0#A	79 00	m is si on es se nt ial	SD PS	i n t e rf a c e	te st	un-ver ified	tes t	un-ver ified	96-1103	ECS shall provide ancillary data for early interface testing.	Covered implicitly by req. TRMM5 040#A. ECS will provide ancillary		S-DS-S-00010	10911	IR	in te rf ac e	app roved	dem o	un ver ified	96-1020			The SDSRV CI shall accept Data Requests for Data that is managed within the STMGT CI.	Should delete the remarks in interpretation column Add what and how ECS is providing.

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 6 of 16

RBR-id	key	cat	seg	type	s-v-m	s_v-st.	a-v-m	a-v-st.	CCR	text	int. text	clar	L4 id	key	rel	type	r-status	v-m	v-st	CCR	clar	text	Remarks	
										<u>data handling as required by RbRs for early I/F testing.</u>													Added Link	
										S-DS S-034 14	3466	A	in te rf ac e	app rov ed	de m o	un ver ifie d				The SDSRV CI shall interface with the STMGT CI to provide storage for Ancillary Data.		Added Link		
										S-DS S-034 16	9735	A	fu ncti ona l	app rov ed	de m o	un ver ifie d				The SDSRV CI shall provide storage for Metadata associated with Ancillary Data.		Added Link		
										S-DS S-018 20	3425	A	fu ncti ona l	app rov ed	de m o	un ver ifie d				The SDSRV CI shall support TRMM end to end testing		Added Link		
TRM M817 0#A	7893	mis es ent ial	SD PS	in ter face	te st	un ver ified	tes t	un ver ified	96-1103	During Integration and test and early operation of the TRMM Ground System, ECS shall support controlled distribution of TRMM data.	Covered implicitly by req. TRMM5 040#A.		S-DS S-000 10	10911	IR	in te rf ac e	app rov ed	de m o	un ver ified	96-1020		The SDSRV CI shall accept Data Requests for Data that is managed within the STMGT CI.	Should delete the remarks in interpretation column	Added Link
										S-DS S-	10	A	fu ncti ona l	app rov ed	te st	un _verifi				The DDSRV CI shall provide the ability to store documents		Added Link		

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 7 of 16

RBR-id	key	cat	seg	type	s-v-m	s_v-st.	a-v-m	a-v-st.	CCR	text	int. text	clar	L4 id	key	rel	type	r-status	v-m	v-st	CCR	clar	text	Remarks		
													044 76	9 4 1		ona 1			ed				and/or data.		
													S-DS S-213 65	1 0 9 4 6	A	func ti o na 1	app rov ed	de m o	un _ve rifi ed	9 6- 1 0 2 0				The STMGT CI shall provide storage for the Data Products listed in Appendix F of the current version of 304-CD-005.	Added Link
													S-DS S-213 66	1 0 9 4 8	A	func ti o na 1	app rov ed	de m o	un _ve rifi ed	9 6- 1 0 2 0				The STMGT CI shall provide storage for the Metadata associated with the Data Products listed in Appendix F of the current version of 304-CD-005.	Added Link
													S-DS S-040 35	1 0 9 2 0	A	inte rf ac e	app rov ed	de m o	un ver ifie d	9 6- 1 0 2 0				The SDSRV CI shall supply the Data Products listed in Appendix F of the current version of 304-CD-005 to the DDIST CI.	Added Link
													S-DS S-040 37	1 0 9 2 2	A	inte rf ac e	app rov ed	de m o	un ver ifie d	9 6- 1 0 2 0				The SDSRV CI shall supply the Metadata associated with the Data Products listed in Appendix F of the current version of 304-CD-005 to the DDIST CI.	Added Link
													S-DS S-306 00	1 1 0 2	A	func ti o na	app rov ed	de m o	un ver ifie d	9 6- 1 0 2				The DDIST CI shall provide the capability to distribute Data electronically via ftp (push).	Added Link

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 8 of 16

RBR-id	key	cat	seg	type	s-v-m	s_v-st.	a-v-m	a-v-st.	CCR	text	int. text	clar	L4 id	key	rel	type	r-status	v-m	v-st	CCR	clar	text	Remarks	
														3	1				0					
													S-DS S-305 20	11024	A	func tiona l	app roved	dem o	un ver ified	96-1020			The DDIST CI shall provide the capability to place Data in publicly available disks for users to "pull" the data, via ftp, at their discretion.	Added Link
													S-DS S-307 80	11025	A	stan da rd s	app roved	dem o	un ver ified	96-1020			The DDIST CI shall make appropriate use of standards for data structures and data transport as defined for use within the publications of CCSDS and ISO/OSI for distribution of TRMM data to the TSDIS .	Added Link
													S-DS S-308 00	11026	A	perf or man ce	app roved	dem o	un ver ified	96-1020			The Data Distribution within the Data Server shall support making stored products available on physical media within 24 hours.	Added Link
TRM M818 0#A	7894	mis si on es se nt ial	SD PS	in terfa ce	te st	un ver ified	tes t	un ver ified	96-1103	ECS shall distribute TRMM test products, algorithms and documentation to TST members and authorized users supporting TRMM end-to-end test.	Covered explicitly by req. TRMM5 040#A-		S-DS S-00010	10911	IR	in te rf ac e	app roved	dem o	un ver ified	96-1020			The SDSRV CI shall accept Data Requests for Data that is managed within the STMGT CI.	Should delete the remarks in interpretation column
													S-	A	fu	app	de	un	9			The STMGT CI shall		

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 9 of 16

RBR-id	key	cat	seg	type	s-v-m	s-v-st.	a-v-m	a-v-st.	CCR	text	int. text	clar	L4 id	key	rel	type	r-status	v-m	v-st	CCR	clar	text	Remarks	
													DS-S-21365	10946		nc ti o na l	rov ed	m o	_ve rifi ed	6-1020			provide storage for the Data Products listed in Appendix F of the current version of 304-CD-005.	
													S-DS-S-21366	10948	A	fu nc ti o na l	app rov ed	d e m o	un _ve rifi ed	96-1020			The STMGT CI shall provide storage for the Metadata associated with the Data Products listed in Appendix F of the current version of 304-CD-005.	
													S-DS-S-04476	10941	A	fu nc ti o na l	app rov ed	t e st	un _ve rifi ed				The DDSRV CI shall provide the ability to store documents and/or data.	
													S-DS-S-01820	3425	A	fu nc ti o na l	app rov ed	d e m o	un ver ifie d				The SDSRV CI shall support TRMM end to end testing	Added Link
													S-DS-S-04035	10920	A	in te rf ac e	app rov ed	d e m o	un ver ifie d	96-1020			The SDSRV CI shall supply the Data Products listed in Appendix F of the current version of 304-CD-005 to the DDIST CI.	
													S-DS-S-04037	1092	A	in te rf ac e	app rov ed	d e m o	un ver ifie d	96-102			The SDSRV CI shall supply the Metadata associated with the Data Products listed in Appendix F of the	

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 10 of 16

RBR-id	key	cat	seg	type	s-v-m	s_v-st.	a-v-m	a-v-st.	CCR	text	int. text	clar	L4 id	key	rel	type	r-status	v-m	v-st	CCR	clar	text	Remarks	
														2					0			current version of 304-CD-005 to the DDIST CI.		
													S-DS S-0500	10942	A	func tion onal	approved	demo	unverified	961020			The SDSRV CI shall manage algorithm packages as defined in the ECS Core Metadata Model, and provide interfaces for storing and accessing them.	
													S-DS S-10290	10943	A	interf face	approved	demo	unverified	961020			The DDSRV CI shall supply documents to the DDIST CI.	
													S-DS S-10370	10944	A	func tion onal	approved	demo	unverified	961020			The DDSRV shall support the display and access to (with links to the software package components they reference), the AITTL CI developed HTML pages, as follows: a) ECS Instruments Page b) PGE Listing Page c) Software Version Page d) Software Listing Page	

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 11 of 16

RBR-id	key	cat	seg	type	s-v-m	s_v-st.	a-v-m	a-v-st.	CCR	text	int. text	clar	L4 id	key	rel	type	r-status	v-m	v-st	CCR	clar	text	Remarks	
													S-DS S-30600	11023	A	func tion onal	approved	demo	unverified	96-1020			The DDIST CI shall provide the capability to distribute Data electronically via ftp (push).	
													S-DS S-30520	11024	A	func tion onal	approved	demo	unverified	96-1020			The DDIST CI shall provide the capability to place Data in publicly available disks for users to "pull" the data, via ftp, at their discretion.	
													S-DS S-30780	11025	A	standards	approved	demo	unverified	96-1020			The DDIST CI shall make appropriate use of standards for data structures and data transport as defined for use within the publications of CCSDS and ISO/OSI for distribution of TRMM data to the TSDIS .	
													S-DS S-30800	11026	A	perf orman ce	approved	demo	unverified	96-1020			The Data Distribution within the Data Server shall support making stored products available on physical media within 24 hours.	
TRM M819 0#A	7895	mission es	SD PS CS MS	ope ration	in sp ec ti on	un ver ified	ins pec tion	un ver ified	96-1103	The I&T testing of communications and networks shall not interfere with normal operations	I&T shall not interfere with ECS												This needs mode managemen t. As such ,	

Table 1. Reference Table for Information Only (RTM 9/16/96) CCR 96-1176A

Page 12 of 16

RBR-id	key	cat	seg	type	s-v-m	s_v-st.	a-v-m	a-v-st.	CCR	text	int. text	clar	L4 id	key	rel	type	r-status	v-m	v-st	CCR	clar	text	Remarks
	sential			ti o n a l p r o c e d u r a l						traffic.	<u>ESN</u> <u>network</u> <u>s-</u> <u>Determi</u> <u>nation</u> <u>of no</u> <u>interfere</u> <u>nee</u> <u>done by</u> <u>ECS</u> <u>operatio</u> <u>ns staff.</u> <u>I&T</u> <u>Staff to</u> <u>coordinat</u> <u>e with</u> <u>supporti</u> <u>ng</u> <u>network</u> <u>Operatio</u> <u>ns Staff</u> <u>for</u> <u>scheduli</u> <u>ng Test</u> <u>activity.</u>												it should be included in Rel-A.1 and not Rel-A.